

## AUTOMATIC STRAPPING MACHINE (CHALI TAIWAN)



MODEL	PARAMETER
MAX. STRAP SIZE (MM)	W850 X H600MM
MIN. STRAP SIZE (MM)	W200 X H30
STRAPPING SPEED (SECONDS)	2 .15
STRAP WIDTH (MM)	9 OR 12
STRAP FORCE (NEWTON)	25 - 700
WORKING TABLE HEIGHT (MM)	830
POWER SOURCE (V/HZ)	440 / 50, 0.1.2HP
POWER (W)	1050
EXTERNAL DIMENSION (MM)	L1645 X W670 X 1535
WEIGHT (KG)	300

## AUTOMATIC STRAPPING MACHINE (CHALI TAIWAN)



MODEL	PARAMETER
MAX. STRAP SIZE (MM)	W850 X H600MM
MIN. STRAP SIZE (MM)	W200 X H30
STRAPPING SPEED (SECONDS)	2 .15
STRAP WIDTH (MM)	9 OR 12
STRAP FORCE (NEWTON)	25 - 700
WORKING TABLE HEIGHT (MM)	830
POWER SOURCE (V/HZ)	440 / 50, 0.1.2HP
POWER (W)	1050
EXTERNAL DIMENSION (MM)	L1645 X W670 X 1535
WEIGHT (KG)	255

## AUTOMATIC STRAPPING MACHINE (HUALIAN)



MODEL	PARAMETER
MAX. STRAP SIZE (MM)	W850 X H600MM
MIN. STRAP SIZE (MM)	W200 X H30
STRAPPING SPEED (SECONDS)	2 .15
STRAP WIDTH (MM)	9 OR 12
STRAP FORCE (NEWTON)	25 - 700
WORKING TABLE HEIGHT (MM)	830
POWER SOURCE (V/HZ)	440 / 50, 0.1.2HP
POWER (W)	1050
EXTERNAL DIMENSION (MM)	L1645 X W670 X 1535
WEIGHT (KG)	255

## AUTOMATIC STRAPPING MACHINE (REGULAR)



MODEL	PARAMETER
MIN. STRAP SIZE (MM)	<b>80X50</b>
STRAPPING SPEED (SECONDS)	<b>2</b>
STRAP WIDTH (MM)	<b>9/12</b>
STRAP FORCE (NEWTON)	<b>25 - 700</b>
WORKING TABLE HEIGHT (MM)	<b>830</b>
POWER SOURCE (V/HZ) THREE PHASE	<b>440 / 50, 0.1.2HP</b>
EXTERNAL DIMENSION (MM)	<b>1370X600X1515</b>
WEIGHT (KG)	<b>235</b>

## AUTO FLAP WITH STRAPPING COMBO (TAIWAN MAKE)



MODEL	PARAMETER
VOLTAGE (V/Hz)	AC 220/50 110/60
MAXIMUM CARTON SIZE (LxWxH)(MM)	550X500X500
MINIMUM CARTON SIZE (LxWxH)(MM)	200X150X110
SPEED (M/MIN)	22-25 CARTONS
AVAILABLE ADHESIVE TAPE	BOPP, PVC ADHESIVE TAPE
HEIGHT OF TABLE (MM)	600-700
WIDTH OF ADHESIVE TAPE (MM)	3 INCH
AIR COMPRESSOR	04-06
POWER(W)	260

## AUTOMATIC STRAPPING & TAPING MACHINE COMBO (HUALIAN)



MODEL	PARAMETER
VOLTAGE (V/Hz)	AC 380/50 220/50 110/60
GROSS POWER (W)	1050
MAX. CARTON SIZE (Lx WxH) (MM)	600x500x500
MIN. CARTON SIZE (Lx WxH) (MM)	300x130x180
SPEED (M/MIN)	16
PRODUCTIVE CAPACITY (PCS/H)	600
HEIGHT OF TABLE (MM)	750
EXTERNAL DIMENSIONS (LxWxH) (MM)	2650x1420x1565
NET WEIGHT (KG)	385

## AUTOMATIC STRAPPING & TAPING MACHINE COMBO (REGULAR)



MODEL	PARAMETER
VOLTAGE (V/Hz)	AC 380/50 220/60 110/60
GROSS POWER (W)	1050
MAX. CARTON SIZE (Lx WxH) (MM)	500x500x500
MIN. CARTON SIZE (Lx WxH) (MM)	300x130x180
SPEED (M/MIN)	16
PRODUCTIVE CAPACITY (PCS/H)	600
HEIGHT OF TABLE (MM)	750 OR 830
EXTERNAL DIMENSIONS (LxWxH) (MM)	2650x1420x1565
NET WEIGHT (KG)	385