

# KOPACK™

PACKING WITH SMART WAY

## PRODUCT CATALOGUE

**Manufacturing**

**Company**

**of all kinds**

**Heat Pump Drying**

**Technology**



# KCBD006 – Cabinet Type Dryer ( 6 Trays )



## Specification For CBD006

<b>Product Capacity(kg)</b>	5-7kg/Batch
<b>Dehumidification Capacity</b>	1.0 to 1.5
<b>Drying Time</b>	Depends On Product Moisture
<b>Heating Capacity</b>	1.5
<b>Connected Power (kw)</b>	2.0
<b>Power Supply</b>	415V,3 Phase,50hz
<b>Working Temperature</b>	45 to 70 c (Drying)
<b>Noise Level</b>	60 DB
<b>Controller</b>	Dry Box Make Smart Controller
<b>Net Weight (kg)</b>	65
<b>Tray Size</b>	12"*24"*1" Inch
<b>Dimension Of Machine</b>	32"*26"*33" Inch

### Application Industries



**Dried Vegetables**



**Dried Fruits**




**Dried Spices**



**Dried Herbs**

# KCBD0012 – Cabinet Type Dryer (12 Trays)



## Specification For CBD0012

<b>Product Capacity(kg)</b>	25kg / Batch
<b>Dehumidification Capacity</b>	2 to 2.5
<b>Drying Time</b>	Depends On Product Moisture % Surface area.
<b>Heating Capacity</b>	4.5
<b>Connected Power (kw)</b>	2.3
<b>Power Supply</b>	415V,3 Phase,50hz
<b>Working Temperature</b>	45 to 70 c (Drying)
<b>Noise Level</b>	≤ 60 DB
<b>Controller</b>	Dry Box Make Smart Controller
<b>Net Weight (kg)</b>	350
<b>Dimension of Machine L x W x H</b>	55''x 38''x 64'' Inch
<b>Tray Size</b>	16''x 32''x1'' Inch

### Application Industries



Dried Sprouts



Dried Fruits



Dried Spices



Dried seafood

# KCBD0024 – Cabinet Type Dryer ( 24 Trays)



## Specification For CBD0024

<b>Product Capacity(kg)</b>	30-50 kg / Batch
<b>Dehumidification Capacity</b>	3.0 to 3.5
<b>Drying Time</b>	Depends On Product Moisture % Surface area.
<b>Heating Capacity</b>	5.2
<b>Connected Power (kw)</b>	3.0
<b>Power Supply</b>	415V,3 Phase,50hz
<b>Working Temperature</b>	45 to 70 c (Drying)
<b>Noise Level</b>	≤ 60 DB
<b>Controller</b>	Dry Box Make Smart Controller
<b>Net Weight (kg)</b>	500 kg
<b>External Dimension of Machine L x W x H</b>	16''x 32''x 1'' Inch
<b>Tray Size</b>	95''x 44''x82'' Inch

### Application Industries




Dried Exotic Vegetables



Dried Fruits



Dried Spices



Dried seafood

Many More...

# KPMD0048 – Panel Mounted Type Dryer ( 48 Trays)



## Specification For PMD0048

<b>Product Capacity(kg)</b>	80-100 kg / Batch
<b>Dehumidification Capacity</b>	8
<b>Drying Time</b>	Depends On Product Moisture % Surface area.
<b>Heating Capacity</b>	10.0
<b>Connected Power (kw)</b>	6.0
<b>Normal Power Consumption</b>	4.0 to 4.5 KWh
<b>Power Supply</b>	415V,3 Phase,50hz
<b>Working Temperature</b>	45 to 70 c (Drying)
<b>Noise Level</b>	≤ 60 DB
<b>Controller</b>	Dry Box Make Smart Controller
<b>Net Weight (kg)</b>	750 kg
<b>External Dimension of Machine</b>	145’’*100’’*100’’inch
<b>L x W x H</b>	
<b>Tray Size</b>	16’’x 32’’x1’’ Inch

## Application Industries



Dried Exotic Vegetables



Dried Fruits



Dried Premixes



Dried Herbs

Many More

# KTND0096 – Tunnel Type Dryer ( 96 Trays)



## Specification For TND0096

<b>Product Capacity(kg)</b>	180-200 kg / Batch
<b>Dehumidification Capacity</b>	13-14
<b>Drying Time</b>	Depends On Product Moisture % Surface area.
<b>Heating Capacity</b>	12.0
<b>Connected Power (kw)</b>	7.0
<b>Normal Power Consumption</b>	5 to 6 KWh
<b>Power Supply</b>	415V,3 Phase,50hz
<b>Working Temperature</b>	45 to 70 c (Drying)
<b>Noise Level</b>	≤ 60 DB
<b>Controller</b>	Dry Box Make Smart Controller
<b>Net Weight (kg)</b>	1000 kg
<b>Machine Running Time/Day</b>	Max.19-20Hrs
<b>Actual Space Required For Installation LxWxH</b>	4500*2030*2200
<b>Tray Size</b>	16"x 32"x1" Inch

### Application Industries



Dried Vegetables



Dried Fruits Candies



Dried Spices



Dried Herbs

Many More....

# TND0144 – Tunnel Type Dryer ( 144 Trays)



## Specification For TND0144

<b>Product Capacity(kg)</b>	280-300 kg / Batch
<b>Dehumidification Capacity</b>	18-20
<b>Drying Time</b>	Depends On Product Moisture % Surface area.
<b>Heating Capacity</b>	14.0
<b>Connected Power (kw)</b>	10
<b>Normal Power Consumption</b>	7 to 8 KWh
<b>Power Supply</b>	415V,3 Phase,50hz
<b>Working Temperature</b>	45 to 70 c (Drying)
<b>Noise Level</b>	≤ 60 DB
<b>Controller</b>	Dry Box Make Smart Controller
<b>Net Weight (kg)</b>	1000 kg
<b>Machine Running Time/Day</b>	Max.19-20Hrs
<b>Actual Space Required For Installation LxWxH</b>	5500*2040*2200
<b>Tray Size</b>	16”x 32”x1” Inch

### Application Industries



Dried Medicinal Leaves



Dried Fruits



Dried Meat Product



Dried Flowers

Many More...

# TND0240 – Tunnel Type Dryer ( 240 Trays)



## Specification For TND0240

<b>Product Capacity(kg)</b>	500-600 kg / Batch
<b>Dehumidification Capacity</b>	25 to 30
<b>Drying Time</b>	Depends On Product Moisture % Surface area.
<b>Heating Capacity</b>	38.0
<b>Connected Power (kw)</b>	17
<b>Normal Power Consumption</b>	14 to 15 KWh
<b>Power Supply</b>	415V,3 Phase,50hz
<b>Working Temperature</b>	45 to 70 c (Drying)
<b>Noise Level</b>	≤ 60 DB
<b>Controller</b>	Dry Box Make Smart Controller
<b>Net Weight (kg)</b>	3200 kg
<b>Machine Running Time/Day</b>	Max.19-20Hrs
<b>Actual Space Required For Installation LxWxH</b>	5600*2040*2200mm
<b>Tray Size</b>	16”x 32”x1” Inch

### Application Industries



Dried Vegetables Powder



Activated Dry Fruits



Dried Spices



Dried Pet Food

Many More...

# TND0288 – Tunnel Type Dryer ( 288 Trays)



## Specification For TND0288

<b>Product Capacity(kg)</b>	500-600 kg / Batch
<b>Dehumidification Capacity</b>	25 to 30
<b>Drying Time</b>	Depends On Product Moisture % Surface area.
<b>Heating Capacity</b>	38.0
<b>Connected Power (kw)</b>	17
<b>Normal Power Consumption</b>	14 to 15 KWh
<b>Power Supply</b>	415V,3 Phase,50hz
<b>Working Temperature</b>	45 to 70 c (Drying)
<b>Noise Level</b>	≤ 60 DB
<b>Controller</b>	Dry Box Make Smart Controller
<b>Net Weight (kg)</b>	3200 kg
<b>Machine Running Time/Day</b>	Max.19-20Hrs
<b>Actual Space Required For Installation LxWxH</b>	5600*2040*2200mm
<b>Tray Size</b>	16”x 32”x1” Inch

### Application Industries



Dried Vegetables



Activated Dry Fruits



Dried Spices



Dried Flowers

Many More...

# **KOPACK**

PACKAGING WITH SMART WAY

**Plot No. Asc 17. Ashwin Sector, Near  
Sambhaji Raje Stadium, Opp. SBI Bank,  
New Nashik-422009.**

**+91-9371570877, 8600294024, 8600687271**

**[www.kopac.co.in](http://www.kopac.co.in)**

**[kopackenterprises@gmail.com](mailto:kopackenterprises@gmail.com)**